

Ultracell®

Quality in Every Language



Sales Brochure



+44 (0) 151 523 2777
info@ultracell.co.uk
www.ultracell.co.uk

Authorised Distributor



Ultracell (UK) Limited
7 Vesty Business Park
Vesty Road
Liverpool
L30 1NY
U.K.

Tel. +44 (0) 151 523 2777
Fax. +44 (0) 151 523 0855
E-mail. info@ultracell.co.uk
Web. www.ultracell.co.uk

© Copyright Ultracell (UK) Ltd



Who we are...

Ultracell, established in 1999 and located in Liverpool, U.K, is a world leader in Valve Regulated Lead Acid (VRLA) batteries. Aswell as having a substantial share of the UK's VRLA market, Ultracell exports its products to more than 40 countries worldwide in the following geographical regions/continents: Europe, South America, North America, Central America, Africa and the Middle East

Our main industry sectors are:

Agriculture
Electric Vehicles
Golf
Leisure
Medical
Mobility
Security
Solar
Telecommunications
UPS



Ultracell offers continuous, professional support through its internal team of experienced advisors and also through its extensive international distribution network. Customers may have technical, marketing and promotional literature provided to them in their own language prepared by our multilingual Sales and Marketing Department. For more information on how to become one of our national or international distributors please contact us at info@ultracell.co.uk

- UL Series is our General range.
- Voltages available: 2V, 4V, 6V, 12V.
- Capacities from 0.8 Ah up to 250 Ah.
- Main applications: Alarm Systems, UPS, Medical Equipment, Emergency Lighting, Telecommunications.
- Design life: 5 years.
- Operating temperature: from -20°C to +55°C.

Model	Voltage	Capacity	Dimensions (mm)		
	(V)	20 hrs (Ah)	Lenth	Width	Height
UL100-2	2	100	171	72	205
UL3.5-4	4	3.5	91	34	60
UL1.3-6	6	1.3	97	24	52
UL4.5-6	6	4.5	70	47	101
UL12-6	6	12	151	50	94
UL100-6	6	100	194	170	206
UL0.8-12	12	0.8	96	25	62
UL1.3-12	12	1.3	97	43	52
UL2.4-12	12	2.4	178	35	60
UL4-12	12	4	90	70	101
UL7-12	12	7	151	65	95
UL12-12	12	12	151	99	96
UL18-12	12	18	181	77	167
UL26-12	12	26	175	166	126
UL40-12	12	40	198	166	170
UL65-12	12	65	350	166	176
UL100-12	12	100	330	172	217
UL200-12	12	200	525	243	220

This is a small selection of the batteries available in this series, please visit www.ultracell.co.uk for the full range.



- UXL Series is our Long Life range.
- Voltages available: 2V, 6V, 12V.
- Capacities from 55 Ah up to 3000 Ah.
- Main applications: Telecommunications, UPS, Medical Equipment.
- Design life: 10 years (6V, 12V) - 20 years (2V).
- Operating temperature: from -20°C to +55°C.

- UC Series is our Deep Cycle range.
- Voltages available: 6V, 12V.
- Capacities from 17 Ah up to 250 Ah.
- Main applications: Wheelchairs, Electric Vehicles, Golf Carts & buggies, Cleaning Equipment, Medical Equipment, Ride-on Toys, Marine.
- Design life: 10 years.
- Operating temperature: from -20°C to +55°C.

Model	Voltage	Capacity		Dimensions (mm)		
	(V)	20 hrs (Ah)	Lenth	Width	Height	
UXL200-2	2	200	172	111	330	
UXL500-2	2	500	241	175	330	
UXL1000-2	2	1000	475	175	330	
UXL1500-2	2	1500	401	350	342	
UXL2000-2	2	2000	490	350	342	
UXL3000-2	2	3000	712	353	340	
UXL100-6	6	100	194	170	206	
UXL150-6	6	150	260	180	245	
UXL180-6	6	180	307	170	223	
UXL200-6	6	200	323	178	224	
UXL55-12	12	55	230	138	206	
UXL75-12	12	75	258	168	208	
UXL100-12	12	100	330	172	215	
UXL120-12	12	120	331	175	216	
UXL134-12	12	134	341	172	284	
UXL150-12	12	150	496	205	207	
UXL200-12	12	200	525	243	220	
UXL230-12	12	230	521	269	220	

This is a small selection of the batteries available in this series, please visit www.ultracell.co.uk for the full range.

Model	Voltage	Capacity		Dimensions (mm)		
	(V)	20 hrs (Ah)	Lenth	Width	Height	
UC7-6	6	7	150	34	94	
UC12-6	6	12	151	50	94	
UC7.2-12	12	7.2	151	65	95	
UC12-12	12	12	151	99	96	
UC18-12	12	18	181	77	167	
UC26-12	12	26	175	166	126	
UC28-12	12	28	165	120	175	
UC35-12	12	35	196	130	155	
UC40-12	12	40	198	166	170	
UC45-12	12	45	198	166	170	
UC55-12	12	55	230	138	206	
UC65-12	12	65	350	166	176	
UC75-12	12	75	258	168	208	
UC90-12	12	90	330	172	215	
UC100-12	12	100	330	172	215	
UC120-12	12	120	331	175	216	
UC150-12	12	150	496	205	207	
UC200-12	12	200	525	243	220	

This is a small selection of the batteries available in this series, please visit www.ultracell.co.uk for the full range.

Ultracell®
UCG
AGM Gel



Ultracell®
UHR
High Rated



- UCG Series is our AGM Gel range.
- Voltages available: 2V, 6V, 12V.
- Capacities from 17 Ah up to 3000 Ah.
- Main applications: Solar, Wind Turbine, Electric Vehicle, Wheelchairs, Golf Carts & buggies, Cleaning Equipment, Medical Equipment, Marine.
- Design life: 10 years (6V, 12V) - 15 years (2V).
- Operating temperature: from -20°C to +55°C.

- UHR Series is our High-Rated range.
- Voltages available: 6V, 12V.
- Capacities from 7 Ah up to 250 Ah.
- Main applications: Marine, UPS.
- Design life: 10 years.
- Operating temperature: from -20°C to +55°C.

Model	Voltage	Capacity		Dimensions (mm)		
	(V)	20 hrs (Ah)	Lenth	Width	Height	
UCG200-2	2	200	172	111	330	
UCG500-2	2	500	240	175	330	
UCG1000-2	2	1000	475	175	330	
UCG2000-2	2	2000	490	350	342	
UCG3000-2	2	3000	712	353	340	
UCG12-6	6	12	151	50	94	
UCG7.2-12	12	7.2	151	65	95	
UCG12-12	112	12	151	99	96	
UCG20-12	2	20	181	77	167	
UCG26-12	12	26	176	166	128	
UCG35-12	12	35	196	130	155	
UCG40-12	12	40	198	166	170	
UCG45-12	12	45	198	166	170	
UCG55-12	12	55	230	138	206	
UCG75-12	12	75	258	168	208	
UCG100-12	12	100	330	172	215	
UCG120-12	12	120	331	175	216	
UCG200-12	12	200	525	243	220	

Model	Voltage	Capacity		Dimensions (mm)		
	(V)	20 hrs (Ah)	Lenth	Width	Height	
UHR4.5-6	6	4.5	70	47	101	
UHR12-6	6	12	151	50	94	
UHR4-12	12	4	90	70	101	
UHR5-12	12	5	90	70	101	
UHR7.2-12	12	7.2	151	65	95	
UHR9-12	12	9	151	65	95	
UHR9-12T	12	9	151	65	111	
UHR18-12	12	18	181	77	167	
UHR24-12	12	24	176	166	128	
UHR28-12	12	28	166	127	175	
UHR40-12	12	40	198	166	170	
UHR55-12	12	55	230	138	206	
UHR65-12	12	65	350	167	178	
UHR75-12	12	75	258	168	208	
UHR100-12	12	100	330	172	215	
UHR120-12	12	120	331	175	216	
UHR150-12	12	150	496	205	207	
UHR200-12	12	200	525	243	220	

This is a small selection of the batteries available in this series, please visit www.ultracell.co.uk for the full range.

This is a small selection of the batteries available in this series, please visit www.ultracell.co.uk for the full range.

Ultracell® UFT

Front Terminal



Ultracell® UzS/UzV

OPzS - UzS / OPzV - UzV



- UFT Series is our Front Terminal range.
- Voltage available: 12V.
- Capacities from 50 Ah up to 170 Ah.
- Main applications: Telecommunications, UPS.
- Design life: 15 years.
- Operating temperature: from -20°C to +55°C.

- UzS Series is our OPzS range.
- UzV Series is our OPzV range.
- Voltage available: 2V.
- Capacities from 100Ah to 3000Ah.
- Main applications: solar/wind power generation system, operation of equipment used in electricity utility and nuclear power stations, telecommunication and signaling systems, railway service, UPS, medical equipment, emergency lighting.
- Design Life: 20 years +
- Operating temperature: from -20°C to +55°C.

Model	Voltage	Capacity	Dimensions (mm)		
	(V)	20 hrs (Ah)	Length	Width	Height
UFT50-12	12	50	390	105	277
UFT55-12	12	55	277	105	222
UFT75-12	12	75	556	105	227
UFT75-12S	12	75	562	144	188
UFT90-12	12	90	507	109	223
UFT100-12	12	100	558	125	227
UFT100-12S	12	100	395	110	285
UFT120-12	12	120	550	110	235
UFT125-12	12	125	558	125	270
UFT125-12S	12	125	420	175	237
UFT150-12	12	150	558	125	310
UFT150-12S	12	150	550	110	285
UFT155-12	12	155	558	124	283
UFT170-12	12	170	558	125	310

This is a small selection of the batteries available in this series, please visit www.ultracell.co.uk for the full range.

Model	Voltage	Capacity	Dimensions (mm)		
	(V)	20 hrs (Ah)	Length	Width	Height
UzS-100 (OPzS)	2	100	103	206	354
UzS-200 (OPzS)	2	200	103	206	354
UzS-500 (OPzS)	2	500	166	206	470
UzS-1000 (OPzS)	2	1000	233	210	645
UzS-1500 (OPzS)	2	1500	275	210	795
UzS-2000 (OPzS)	2	2000	399	214	771
UzS-2500 (OPzS)	2	2500	487	212	771
UzS-3000 (OPzS)	2	3000	576	212	771
UzV-200 (OPzV)	2	200	103	206	354
UzV-300 (OPzV)	2	300	145	206	354
UzV-500 (OPzV)	2	500	166	206	470
UzV-1000 (OPzV)	2	1000	233	210	645
UzV-1200 (OPzV)	2	1200	275	210	645
UzV-2000 (OPzV)	2	2000	399	212	772
			468	212	645
UzV-2500 (OPzV)	2	2500	487	212	772
UzV-3000 (OPzV)	2	3000	576	212	772
			680	212	645

This is a small selection of the batteries available in this series, please visit www.ultracell.co.uk for the full range.



Agena d.o.o

Braće Ribnikar 63
21000 Novi Sad

Tel/Fax: +381 21 540 507, +381 21 540 508

Mob: +381 63 540 505

e-mail: office@cfl.co.rs

web: www.agena-ns.co.rs

GB

Agena d.o.o was established in 1996 and is located in NoviSad, Republic of Serbia. Our main activity is the distribution of batteries in the Serbian market and our goal is to penetrate other regional markets.

We offer our business partners technical support, a wide range of products, constant supply, quality products and fast shipping.

Agena d.o.o is an authorized distributor of Ultracell batteries for the Serbian market since 2007.

RS

Agena d.o.o. osnovana je 1996. godine u Novom Sadu, Srbija. Naša glavna delatnost je distribucija baterija na tržištu Srbije sa ciljem proširenja na tržišta ostalih zemalja u regionu.

Našim poslovnim partnerima nudimo tehničku podršku, široki asortiman, stalan lager, kvalitetne proizvode i brzu isporuku.

Agena d.o.o. je ovlašćeni distributer Ultracell baterija za tržište Srbije od 2007. godine.



Ultracell®



Ultra*cell*//®



Quality in Every Language

www.ultracell.co.uk

Ultracell®

Quality in Every Language

Ultracell (UK) Limited
7 Vesty Business Park
Vesty Road
Liverpool
L30 1NY
U.K.

Tel. +44 (0) 151 523 2777
Fax. +44 (0) 151 523 0855
E-mail. info@ultracell.co.uk
Web. www.ultracell.co.uk

© Copyright Ultracell (UK) Ltd



Authorised Distributor

